

PORTABLE POWER STATION CATALOGUE



NEEXGENT[®]
Foshan Neexgent Energy Co.,Ltd.

350 Wattage



PRODUCT PARAMETERS

Product Type: NXPST-350W
Peak Power: 600W
Rated Capacity: 284.7Wh
Battery Type: Lithium Ternary 18650
AC Input: AC220-240V 50/60Hz
Output Wave: Pure Sine Wave
AC Output: AC230V \pm 10V 50Hz
USB-A Output: QC3.0/18W 5-12V*2
USB-C Output: PD100W
DC5521 Output: 12V Max.5A
Cigarette Lighter Output: 12V Max.10A
Car Charging: 11-30V Max.10A 100W DC6530
Wireless Charging: Max.15W
Operation Temperature: -15 ~ 35°C
Net Weight: 3.62KG



PRODUCT PARAMETERS

Product Type: NXPST-600W
Peak Power: 1200W
Rated Capacity: 569.4Wh
Battery Type: Lithium Ternary 18650
AC Input: AC220-240V 50/60Hz
Output Wave: Pure Sine Wave
AC Output: AC230V \pm 10V 50Hz
USB-A Output: 5V, 2.4A*2 Max.12W QC3.0/18W 5-12V*2
USB-C Output: PD100W / PD27W
DC5521 Output: 12V Max.5A
Cigarette Lighter Output: 12V Max.10A
Solar Energy Charging: 11-30V Max.10A 100W Anderson
Car Charging: 11-30V Max.10A 100W DC6530
Wireless Charging: Max.15W
Operation Temperature: -15 ~ 35°C
Net Weight: 5.66KG



600 Wattage



1000 Wattage



PRODUCT PARAMETERS

Product Type: NXPST-1000W
 Peak Power: 2000W
 Rated Capacity: 1089Wh
 Battery Type: Lithium Ternary 21700
 AC Input: AC220-240V 50/60Hz
 Output Wave: Pure Sine Wave
 AC Output: AC230V \pm 10V 50Hz*2
 USB-A Output: 5V, 2.4A*4 Max.12W QC3.0/18W 5-12V*2
 USB-C Output: PD100W / PD27W
 DC5521 Output: 12V Max,5A
 Cigarette Lighter Output: 12V Max,10A
 Solar Energy Charging: 11-36V Max.10A 200W Anderson
 Car Charging: 11-36V Max.10A 200W DC6530
 Wireless Charging: Max.15W
 Operation Temperature: -15 ~ 35°C
 Net Weight: 9.35KG

Light / 15W About 63.3 hours	Breathing Machine / 60W About 18.3 hours	Router / 5W About 176 hours	Projector / 100W About 9.8 hours	Television / 120W About 8.1 hours
Phone / 12W About 81 times	Laptop / 70W About 14 times	Camera / 18W About 54 times	Speaker / 35W About 28 hours	UAV / 45W About 21 times
Cleaner / 1000W About 0.9 hours	Refrigerator / 148W About 6.1 hours	Coffee Maker / 1000W About 0.5 hours	Kettle / 1000W About 0.9 hours	Rice Cooker / 800W About 1.2 hours

PRODUCT PARAMETERS

Product Type: NXPST-1800W
 Peak Power: 3600W
 Rated Capacity: 1306.8Wh
 Battery Type: Lithium Ternary 21700
 AC Input: AC220-240V 50/60Hz
 Output Wave: Pure Sine Wave
 AC Output: AC230V \pm 10V 50Hz*2
 USB-A Output: 5V, 2.4A*4 Max.12W QC3.0/18W 5-12V*2
 USB-C Output: PD100W / PD27W
 DC5521 Output: 12V Max,5A
 Cigarette Lighter Output: 12V Max,10A
 Solar Energy Charging: 11-36V Max.10A 200W Anderson
 Car Charging: 11-36V Max.10A 200W DC6530
 Wireless Charging: Max.15W
 Operation Temperature: -15 ~ 35°C
 Net Weight: 10.13KG

Light / 15W About 78.4 hours	Breathing Machine / 60W About 19.6 hours	Router / 5W About 239.2 hours	Projector / 100W About 11.7 hours	Television / 120W About 9.3 hours
Phone / 12W About 95.2 times	Laptop / 70W About 16 times	Camera / 18W About 65 times	Speaker / 35W About 31.6 hours	UAV / 45W About 26 times
Cleaner / 1000W About 1.1 hours	Refrigerator / 148W About 7.3 hours	Coffee Maker / 1000W About 0.5 hours	Kettle / 1000W About 1.1 hours	Rice Cooker / 800W About 1.4 hours

1800 Wattage



2400 Wattage



PRODUCT PARAMETERS

Product Type: NXPST-2400W

Peak Power: 4800W

Rated Capacity: 2304Wh

Battery Type: Lithium Iron Phosphate 32140

AC Input: AC220-240V 50/60Hz

Output Wave: Pure Sine Wave

AC Output: AC230V \pm 10V 50Hz*4

USB-A Output: 5V, 2.4A*4 Max.12W QC3.0/18W 5-12V*2

USB-C Output: PD100W / PD27W

DC5521 Output: 12V Max.5A

Cigarette Lighter Output: 12V Max.10A

Solar Energy Charging: 11-80V Max.20A 800W Anderson

Car Charging: 11-30V Max.10A 100W DC6530

Wireless Charging: Max.15W

Operation Temperature: $-20 \sim 60^{\circ}\text{C}$

Net Weight: 21.6KG



PRODUCT PARAMETERS

Product Type: NXPST-3600W

Peak Power: 7200W

Rated Capacity: 3072Wh

Battery Type: Lithium Iron Phosphate 32140

AC Input: AC220-240V 50/60Hz

Output Wave: Pure Sine Wave

AC Output: AC230V \pm 10V 50Hz*4

USB-A Output: 5V, 2.4A*4 Max.12W QC3.0/18W 5-12V*2

USB-C Output: PD100W / PD27W

DC5521 Output: 12V Max.5A

Cigarette Lighter Output: 12V Max.10A

Solar Energy Charging: 11-80V Max.20A 800W Anderson

Car Charging: 11-30V Max.10A 100W DC6530

Wireless Charging: Max.15W

Operation Temperature: $-20 \sim 60^{\circ}\text{C}$

Net Weight: 31.2KG



3600 Wattage



It Can Be Recharging By 3 Ways

This power station enables to be charging by Adaptor / Solar Panel / Car Charger, no matter you're home or outdoors.

AC Outlet



Solar Charging

Car Charging



Battery Management System



High temperature protection



Low temperature protection




Overdischarge protection



Overload protection



Short circuit protection



Overvoltage protection



Overcurrent protection



Battery failure protection

**SUPPORTS
WIRELESS CHARGING**

15W



POWER UP TO 10 DEVICES

There's space for all your gear

1X Car Outlet 2X DC5521V Outlet 2X USB-C Port 4X USB-A Port 1X AC Outlet



0-100%
FULLY CHARGE IN **2** HOURS



BUILT TO LAST

Battery tech that lasts for 10 years



PORTABLE POWER STATION CATALOGUE

NEEXGENT[®]

Foshan Neexgent Energy Co.,Ltd.